


Negijet Toucan

Textile Inkjet Printer



High Quality at best **Speed**



Easy-to-read, easy-to-use touch panel



Powered by Ricoh Gen6 variable dot print heads:
8 heads / 12 heads / 16 heads



Negative pressure ink supply system for the stability of print heads



Integrated fabric feeding & takeup system for belt system



Large capacity ink bottle (2 liters) for continuous production



Air-free degassed ink system allows unattended printing at high-speed print modes

Top Quality Textile Printing System Innovated with Uncompromising Passion

Designed specifically for high-quality, high-productivity, and high-performance, the Negijet textile printers open a new possibility for textile printing with state-of-the-art digital technology and a customer-focused approach for smooth operations and reliable printing. The Negijet textile printer series is the solution for customers needing high image quality, low running costs, and user-friendliness to survive in the competitive textile market.



RICOH GEN6 PRINT HEAD

- Single pass 600 dpi high resolution for one color
- Achieves excellent grayscale rendering
- Highly robust and anti-corrosion properties



Bundled with Professional Textile RIP Software for better color reproduction and print quality

● Features & Technical Specifications

Model	Negijet TX R-1800 Inkjet Printer			
Print Head	Ricoh Gen 6 (MH5320)			
Nozzles	Variable - 1280 nozzles			
Printing Resolution	Minimum 300 to Maximum 1200 dpi Adjustable			
Print Head Configuration	8 Print Heads, 12 Print Heads & 16 Print Heads			
Resolution	300x600 dpi			
Speed in 8 colours	Pass	8 print Heads	12 Print heads	16 Print heads
Speed Clocked	4 Pass	80 sqm/hr	120 sqm/hr	160 sqm/hr (Speed production)*
With 60" width fabric	3 Pass	100 sqm/hr	150 sqm/hr	200 sqm/hr (Quality production)*
Print Width	1850mm			
Ink Options	Reactive, Disperse, Acid & Pigment Inks			
Ink Setting	4 or 8 colours			
Ink Control	Pumping and Degassing system USA make inline desgassing Negative/positive pressure (Japanese Technology)			
8 colours	CMYK + RED, ORANGE, GRAY & BLUE			
RIP Software	Neo Stampa / ONYX			
Environment	Temperature : 20 °C ~ 25 °C Humidity : 45% ~ 65% No condensing			
Dimension (W x D x H)	Printer: W4000mm x D2500mm x H1580mm / Heater: W2350mm x D1300mm x H1050mm			
Printer Weight	2200 Kg (Approx)			
Power Supply	AC 200/240 V, 50/60 Hz, Single Phase 10A			
Dryer Power	Supply AC 200/240 V, 50/60 Hz, Single Phase 18A			



NEGI

Negi Sign Systems & Supplies Co.

Mumbai Head Office

301, Shivam Chambers, S.V. Road, Goregaon West, Mumbai- 400104.

Delhi Regional Office

C-75, DDA Sheds, Okhla Industrial Area, Phase I, New Delhi- 110020.

 : 8433908690

Tel no : 022- 61566000
Tel no: 011- 49139900

Email id : Sales@negisign.com

Website : www.negisign.com

